

Xerox® ColorQube® 8900

Colour Multifunction Printer

ColorQube 8900 multifunction printers are powered by the Xerox® ConnectKey® Controller. These simple-to-implement systems give you real, practical solutions that easily streamline how you communicate, process and share important information, simplify complex paper-driven tasks, and drive down costs while keeping your data secure.



ColorQube 8900 is a full-featured multifunction printer with automatic 2-sided print/copy/scan/fax/scan to email capabilities. Shown with the standard 525-sheet paper tray.



ColorQube 8900 shown with (2) optional 525-sheet paper trays, 1,800-sheet High-Capacity Feeder and a 650-sheet Finisher

System Specifications		ColorQube 8900X
One-sided Speed		Colour and Black and White
Fast Colour Mode ¹ :		44 ppm 8.5 x 11 in. / A4 (210 x 297 mm) / 18 ppm 8.5 x 14 in.
Standard Mode ¹ :		30 ppm 8.5 x 11 in. / A4 (210 x 297 mm) / 15 ppm 8.5 x 14 in.
Enhanced Mode (Default):		19 ppm 8.5 x 11 in. / A4 (210 x 297 mm) / 11 ppm 8.5 x 14 in.
High Resolution:		6 ppm 8.5 x 11 in. / A4 (210 x 297 mm) / 5 ppm 8.5 x 14 in.
Two-sided Speed		Colour and Black and White
Fast Colour Mode ¹ :		30 ppm 8.5 x 11 in. / A4 (210 x 297 mm)
Standard Mode ¹ :		25 ppm 8.5 x 11 in. / A4 (210 x 297 mm)
Enhanced Mode (Default):		18 ppm 8.5 x 11 in. / A4 (210 x 297 mm)
High Resolution:		6 ppm 8.5 x 11 in. / A4 (210 x 297 mm)
Monthly Duty Cycle²		Up to 120,000 pages
Recommended Average Monthly Print Volume³		2,000 to 15,000 pages
Hard Drive / Processor / Memory		80 GB / 1.33 GHz Dual-core / 1 GB
Connectivity		10/100/1000Base-T Ethernet, High-Speed USB 2.0 Direct Print, Optional Wi-Fi (with Xerox® USB Wireless Adapter)
Controller Features		Unified Address Book, Remote Control Panel, Online Support, Configuration Cloning
Print and Copy		
Print and Copy Resolution		Print: Up to Xerox® 2400 FinePoint®; Copy: Up to 600 x 600 dpi
First-print-out Time (as fast as)		Print: 8.5 seconds colour; Copy: 16 seconds colour and black and white
Page Description Languages		Adobe® PostScript® 3™, PDF, PCL® 5c / PCL 6, XML Paper Specification (XPS)
Print Features		Print from USB, Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Status, Scaling, Job Monitoring, Colour By Words, Xerox® PrintBack, Print Around, Sample Set, Smart Duplex, Automatic Two-sided, Automatic Colour Correction, Custom Colour Correction, Spot Colour Matching
Mobile Printing		Apple® AirPrint™, Xerox® Mobile Print® (Optional), Xerox® Mobile Print Cloud® (Optional)
Scan		
Standard Features		Scan to Network, Scan to Email, Scan to Folder, Scan to SMB or FTP, Text Searchable PDF, PDF/A, XPS, Linearized PDF, JPEG, TIFF, Scan to USB Memory Device, Single Touch Scanning, TWAIN Support
Optional Features		ConnectKey for SharePoint®, ConnectKey Share to Cloud, Xerox® Scan to PC Desktop® SE and Professional, numerous solutions available through various Xerox® Business Innovation Partners
Fax		
Standard Features		Embedded Fax ⁴ , LAN Fax, Internet Fax, Server Fax
Security		
Standard Features		McAfee® Embedded, McAfee ePolicy (ePO) Compatible, Hard Drive Image Overwrite, 256-bit Encryption (FIPS 140-2 compliant), Common Criteria Certification (ISO 15408) (pending), Secure Print, Secure Fax, Secure Scan, Secure Email, Cisco® TrustSec Identity Services Engine (ISE) Integration, Network Authentication, SSL, SNMPv3, Audit Log, Access Controls, User Permissions
Optional Features		McAfee Integrity Control, Xerox Secure Access Unified ID System® with Follow-You Printing®, Smart Card Enablement Kit (CAC/PIV/.NET)
Accounting		
Standard Features		Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email)
Optional Features		Equitrac Office®, Equitrac Professional®, YSoft® SafeQ®, other network accounting solutions available through various Xerox® Business Innovation Partners

Device Specifications				
Control Panel Languages	U.S. English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Turkish, Greek, Russian, Czech, Polish, Hungarian			
Accessories				
Optional	525-sheet Tray 1,800-sheet High Capacity Feeder (HCF) Stand with Storage Drawer 650-sheet Finisher Smart Card Enablement Kit Xerox Secure Access Unified ID System® (with USB Card Reader) with Follow-You Printing® Xerox® USB Wireless Adapter McAfee Integrity Control Enablement Kit Foreign Device Interface (FDI)			
Electrical Requirements				
North America	Voltage : 110-127 VAC Frequency: 50 / 60 Hz			
Europe	Voltage : 220-240 VAC Frequency: 50 / 60Hz			
Power Consumption				
Printing (Max)	110V: 1,050 watts; 220V: 1,213 watts			
Printing (Average)	110V: 305 watts; 220V: 297 watts			
Standby Mode	110V: 121 watts; 220V: 131 watts			
Power Save Mode	110V: 58 watts; 220V: 56 watts			
Warm-up (from Power Save)	2 minutes or less			
Cold Warm-up (from Power On)	12 minutes or less			
Operating Environment				
Required Temperature Range	50° to 90° F (10° to 32° C)			
Required Relative Humidity	10% to 80%			
Dimensions and Weight	Width	Depth	Height	Weight
8900X	23.8 in. / 605 mm	23.4 in. / 594 mm	24.2 in. / 615 mm	102 lbs. / 46 kg
525-sheet Tray	22.3 in. / 567 mm	17 in. / 432 mm	5 in. / 127 mm	
HCF	28.3 in. / 718 mm	25 in. / 635 mm	14.5 in. / 368 mm	
Certifications				
	FCC Part 15, Class A FCC Part 68 CE Mark applicable to Directives 2006/95/EC, 2004/108/EC and 1999/5/EC UL 60950-1/CSA 60950-1-07, 2nd Edition GOST Common Criteria (ISO 15408) Certification Citrix IPv6 Ready Bonjour® Cerner MEDITECH SAP EPEAT			

Paper Handling	
Duplex Automatic Document Feeder	
Capacity ⁵	50 sheets
Custom Sizes	5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm
Weights	16 lb. bond to 45 lb. cover / 60 to 120 gsm
Multipurpose Tray 1	
Capacity ⁵	100 sheets
Custom Sizes	3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm
Weights	16 lb. bond to 80 lb. cover / 60 to 220 gsm
Media Types	Lightweight Plain paper Lightweight card stock Card stock Punched Letterhead Recycled Pre-printed Transparencies Labels Envelopes
Tray 2	
Capacity ⁵	525 sheets
Sizes	5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm
Weights	16 lb. bond to 80 lb. cover / 60 to 220 gsm
Media Types	Lightweight Plain paper Lightweight card stock Card stock Punched Letterhead Recycled Pre-printed Labels Envelopes
Additional Trays (Optional)—Up to 3 Additional Trays or 2 Additional Trays with Optional High Capacity Feeder	
Capacity ⁵	525 sheets each
Sizes	5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm
Weights	16 lb. bond to 80 lb. cover / 60 to 220 gsm
Media Types	Lightweight Plain paper Lightweight card stock Card stock Punched Letterhead Recycled Pre-printed Labels Envelopes
High Capacity Feeder (Optional)	
Capacity ⁵	1,800 sheets
Sizes	8.5 x 11 in., 8.5 x 14 in., A4
Weights	16 lb. bond to 32 lb. bond / 60 to 122 gsm

Media Types	Lightweight Plain paper Punched Letterhead Recycled Pre-printed
Total Capacity	
Standard Capacity⁵	625 sheets
Device Total Capacity⁵	3,475 sheets
Paper Output / Finishing	
Paper Output	
Standard Output Capacity⁵	350 sheets
Maximum Output Capacity⁵	950 sheets
Finishing	
Convenience Stapler (Standard)	Up to 20 sheets ⁵
650-sheet Finisher (Optional)	Stapling up to 50 sheets ⁵ <ul style="list-style-type: none"> • Stapling Sizes <ul style="list-style-type: none"> – Letter / 8.5 x 11 in. (216 x 279 mm) – Legal / 8.5 x 14 in. (216 x 365 mm) – 8.27 x 11.69 in. (A4) – Executive / 7.25 x 10.5 in. (184 x 267 mm) – B5 JIS / 7.17 x 10.12 in. (182 x 257 mm) • Stapling Weights <ul style="list-style-type: none"> – 16 lb. bond to 80 lb. cover (60 to 220 gsm) Offset stacking
Copy	
First-copy-out Time (Letter/A4-size, from Platen to Centre Tray)	As fast as 16 seconds colour and black and white
Sides (input:output)	1-1, 1-2, 2-2, 2-1
Quantity	1 to 9,999
Resolution (max.)	Up to 600 x 600 dpi
Reduction / Enlargement	Variable zoom from 25% to 400% in 1% increments
Concurrency	Programme-ahead to allow job to be initiated while initial job is processed (Copy, Print, Fax and Scan)

Copy Features	Annotation and Bates™ stamping (with colour capability and font size adjustment) Authentication for Services (i.e. Colour Copy) Auto Paper Select Auto Reduction & Enlargement to fit selected paper size Auto Tray Switching Automatic 2-sided/Duplex Booklet Creation Build Job Collation Covers Dividers (blank) Edge Erase ID Card Copy Image Quality Adjustments Image Shift (with Auto Centre option) Invert Image (negative or mirror image) Large Job Interrupt Multi-up (up to 15 columns by 15 rows) Sample Set Save Job Settings Single Colour Stapling Transparencies	
Print		
Print Resolution	Print Driver / Print Mode	Resolution
	Adobe® PostScript® 3™ Fast Mode	188 x 400 dpi
	Adobe PostScript 3 Standard Mode	300 x 450 dpi
	Adobe PostScript 3 Enhanced Mode	525 x 450 dpi (default)
	Adobe PostScript 3 High Resolution Mode	525 x 2400 dpi (2400 FinePoint™)
	PCL Enhanced	600 x 600 dpi
	PCL Standard	600 x 400 dpi
Print Features	Application Defaults Banner Sheet Enable / Disable Bi-directional Status Custom Colour Options (Colour By Words) Cover Selection Delay Print (specific time) User Permissions Image Options (Fast, Standard, Enhanced, Photo Mode) Job Identification (Print ID or Banner, Print ID in margins on first page only or all pages) LAN Fax Layout / Watermark (N-up (up to 16 pages per sheet), Multi-up, Booklet layout / finishing, Fit to new paper size) Overlays Paper Selection by Attribute Print from USB Sample Set Saved Job Secure Print with Timed Deletion Special Pages (exception page programming: covers, inserts, exception pages) Store and Recall Driver Settings Sustainability Features (Xerox® Earth Smart Settings, Duplex, N-up, Turn-off Banner, Smart Sample Set, Hold All Jobs) TWAIN Print Driver	

Operating Systems	Microsoft® Windows® XP (32- and 64-bit) Windows Server 2003 (32- and 64-bit) Windows Server 2008 (32- and 64-bit) Windows Server 2012 Windows Vista (32- and 64-bit) Windows 7 (32- and 64-bit) Windows 8 (32- and 64-bit) Mac OS 10.5, 10.6, 10.7, 10.8 Solaris® 9, 10 HP-UX® 11v2 IBM® AIX® 5 Redhat® Fedora® Core 15-17 Redhat Enterprise 4 and 5 openSUSE® 11 and 12 Ubuntu® Unix®
Network Protocols	TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6,WSD NetWare: Bindery and NDS IPX/SPX, NDPS®/NEPS (with Server Gateway) AppleTalk®: EtherTalk® Microsoft Windows Networking over IP Apple Bonjour® IPv6 Secure FTP
Administrative Protocols	DHCP, BOOTP, SNMP, WINS, SLP® v2, HTTP/HTTPS, DHCP Autonet, SSL, NTP, DNS, SSDP
Fonts	PCL: 93 scalable fonts, line printer and bitmap font (including Cyrillic font support) PostScript 3: 173 Type 1 fonts, 2 Multiple Master fonts
Xerox® Mobile Express Driver® (X-MED)	Makes it easy for mobile users to find, use and manage Xerox® and non-Xerox devices in every new location. Plug into a new network, and X-MED automatically discovers available printers and provides status and capability information. Save a list of “favourite” printers for each location, store application print settings for use on any printer in any network, and greatly reduce mobile support calls to IT.
Xerox® Global Print Driver®	A truly universal print driver that lets IT administrators install, upgrade and manage Xerox® and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls, and simplifying print services management.
Xerox® Pull Print Driver	Makes it easy for IT managers to qualify, deploy and manage all print devices using a single driver in a Pull Print environment. Uses a single queue and single driver. The Xerox® Pull Print Driver extends convenience across a broad range of printing assets. IT administrators no longer need to manage and configure multiple drivers. Used in conjunction with Xerox Secure Access Unified ID System®, Equitrac Office®, Ysoft® SafeQ®, Pharos® and others.
Print Solutions	
Xerox® Mobile Print Cloud (Optional)	Xerox® Mobile Print Cloud addresses the needs of businesses with a mobile workforce and puts you ahead of the evolving mobile print need, but without burdening staff, budget or infrastructure. Getting started takes only a few minutes via the cloud. Print from any mobile device to nearly any brand of printer, Accurate printing with true Microsoft® Office® rendering and more. Print what you need, when, where and how you need it.
Xerox® Mobile Print Solution (Optional)	Xerox® Mobile Print Solution is an ideal choice for sites that have additional requirements for control and security with an onsite server. Xerox® Mobile Print Solution allows users to print from most mobile devices to nearly any brand of printer or MFP without drivers or added complexity. Simply enter a release code (PIN) at the device and get accurate printing with true Microsoft Office rendering and more to use with your server for private, onsite deployment.
Scan	
Concurrency	Scan while the system is printing, copying, or while it is transferring scan to network or fax jobs (priority is for return of scanned originals and printing concurrent jobs)
Input Speed	Black and White: Scan up to 40 ipm – 8.5 x 11 in. / A4 (210 x 297 mm) Colour: Scan up to 40 ipm – 8.5 x 11 in. / A4 (210 x 297 mm)
Resolution	72 x 72 dpi to 600 x 600 dpi Bit Depth: 1-bit (black and white), 8-bit (greyscale), 24-bit (colour)
Maximum Scan Area	Platen: Up to 8.27 x 11.69 in. / A4 DADF: 8.5 x 14 in. / 216 x 356 mm

Scan Template Management	Support 250 scan templates Create Xerox® CentreWare® IS scan templates and share via device cloning to other MFPs Confirmation sheet options
Network Protocols	sFTP, FTP, SMB, NetWare, HTTP, HTTPS
File Formats	Colour TIFF (TIFF 6.0 or TTN2 with JPEG, LZW) Black and White TIFF (G3MH, G4 MMR compression – single or multiple pages) Searchable PDF and PDF/A (MRC, JPEG, G3 MH, G4 MMR, JBIG 2 Huffman, JBIG Arithmetic Compression, Deflate (for Black and White and within MRC)) JPEG XPS Encrypted / Password Protected PDF (Network Scan Templates only) Linearized PDF
Document Management Fields (Meta Data)	Features only available in Network Scan to File Templates: <ul style="list-style-type: none"> • 1 to 6 user programmable metadata fields per network scan to file templates and unlimited fields within the template – Metadata field consists of field name, default value and other configurations • Customised fields viewed on user interface for variable data input
Scan Features	Mixed Size Originals Scan Build Job Compression Quality/File Size Control Original Type (Photo and Text, Photo, Text, Map, Newspaper / Magazine) Auto Background and Shadow Suppression Size for Size (for mixed size originals) TWAIN Driver Bound Originals Edge Erase Reduction / Enlargement
Supported Scan Destinations (Standard)	Scan to USB Drive Scan to Email Scan to PC / Server Client (SMB or FTP) Scan to Mailbox Scan to Secure FTP and HTTPS Scan to Home Scan to Application
Supported Scan Destinations (Optional)	Scan to Microsoft Exchange 2000 Web Folders Xerox® Scan to PC Desktop® (Professional and SE) ScanFlowStore Xerox® ConnectKey® for SharePoint Xerox® ConnectKey Share to Cloud Various Xerox® Business Innovation Partner Solutions
Authentication	Supports Kerberos (UNIX / Windows Server) SMB (Windows Server) NDS LDAP Xerox Secure Access Unified ID System® Locally on device (internal database) Convenience Authentication via Magstripe, Proximity and Smart Card (CAC / PIV / .NET) readers
Scan to Email (Standard)	
Directory Access	Address list via LDAP (Windows Active Directory, Exchange, Notes, Domino) Downloaded address list (comma-separated file format)
Scan Features	<ul style="list-style-type: none"> • Email signatures (6 lines each of 128 character max), email message body (user configurable), email CWIS confirmation sheet options • Scan to Email S/MIME Encryption • Email signing (requires Smart Card option) • Auto send to self

Network Scanning – Software Solutions	
Xerox® Scan to PC Desktop® Professional (Optional)	<p>A desktop offering that provides advanced document imaging, archiving, editing and organisation tools:</p> <ul style="list-style-type: none"> • Nuance PaperPort Professional image viewing and file management software <ul style="list-style-type: none"> – Complete PDF functionality – Secure PDF workflow of all scanning applications • Nuance OmniPage Pro Office (for desktop/client installation) – Professional OCR software for digital archiving and document conversion • Image Retriever – provides fully automated retrieval of scanned images direct from a scan enabled Xerox® ColorQube to individual desktops. Also includes email inbox polling capability
Xerox® ConnectKey® for SharePoint® (Optional)	<p>Xerox® ConnectKey for SharePoint simplifies and streamlines the way you scan, capture and store your paper-based documents. Using your Xerox® MFP, you can route documents directly into the precise document repository folder, just like you would from your PC. At the MFP, you can browse to the folder, name the document, and add any key indexing information before you scan. With the flexibility to capture and route to SharePoint as well as Windows folders, ConnectKey is the right solution for any office that needs to archive and share paper-based documents.</p>
Xerox® ConnectKey Share to Cloud (Optional)	<p>Xerox® ConnectKey Share to Cloud provides organisations with powerful, easy and secure document scanning capabilities that connect your Xerox® MFP to popular cloud services and email, such as Google Docs™, SalesForce.com, Office 365 and Dropbox™ and gives employees anytime, anywhere access to their most important documents using mobile devices.</p>
Security	
Features	<ul style="list-style-type: none"> • Expanded Authentication <ul style="list-style-type: none"> – Network authentication to access device and/or device services via- Kerberos (UNIX / Windows Server 2003 / Windows Server 2008), SMB (Windows 2000 / Windows Server 2003 / Windows Server 2008), NDS, LDAP – Xerox® Secure Access – Local Authentication (internal database) – Smart Card authentication -144k CAC/PIV Card Support (2048 bit certificate key) / .NET • Secure Data <ul style="list-style-type: none"> – Digitally signed PDF (when using Smart Card authentication) – Encrypted Scan to Email – Encrypted / Password Protected PDF (when using Network Scan Templates only) – Secure Print (up to 10 digit PIN or Network Authentication) – Immediate Image Overwrite – On Demand Image Overwrite (Scheduled, Manual), includes sanitation of unused area of disk – FIPS 140-2 256 bit Hard Disk Encryption • Expanded Authorisation <ul style="list-style-type: none"> – SA access based on network credentials – Authorisation per user per service – User Permissions required to access Print and Print Features (e.g. colour access, or time restrictions) reflects in the print driver • Secure Network Access <ul style="list-style-type: none"> • IP Filter, IPsec, IPv6, SSL, SNMPv3, HTTPs, 802.1X, Cisco® TrustSec integration (optional), Device Security – McAfee® Embedded Security, Port disablement including USB ports, Audit Log, Hide Print Job Names, optional McAfee Integrity Control • Common Criteria Certification ISO 15408 (pending)
Xerox Secure Access Unified ID System® (Optional)	<p>Xerox Secure Access Unified ID System® integrates your Xerox® multifunction systems with your existing employee/student ID PIN or badge providing a flexible and convenient authentication system. Allow your staff, employees or students to send documents to a centralised print server. Then, at any multifunction printer on the network, they'll simply log in with a swipe of their magnetic or proximity ID card or their PIN to securely print their job.</p> <p>For more information, go to www.office.xerox.com/software-solutions</p>

Fax	
Embedded Fax⁴, LAN Fax, Internet Fax, Server Fax	
Fax Speed	Up to 33.6 Kbps (analog)
Memory	Uses device memory
Resolution	Up to 600 x 600 dpi (Super Fine) resolution Up to 200 x 200 dpi (Fine) resolution Up to 200 x 100 dpi (Standard) resolution
Compression	MH, MR, MMR, JBIG
Fax Features	Duplex Scanning Reports Auto Redial Auto Reduction Cover Page Delayed Send Fax Forward to Email Memory Receive Mixed-size Originals Phone Book Search Junk Fax Prevention Polling Secure Fax Speed Dials (up to 200 individual, 100 group)
Device Management	
Management Support	SNMP Version 1, SNMP Version 2c and SNMP Version 3 trap over TCP/IP and IP MIB access (IETF-MIBII RFC 1213), Host Resources MIB RFC 2790, Printer MIB RFC 1759 v.2
Xerox® CentreWare® Web	A web-based server application for network administrators that permits web browser-based device management from any workstation, whether running Windows, UNIX or any other operating system: <ul style="list-style-type: none"> • Works with any SNMP-managed printer from any manufacturer. • Provides help with device discovery and installation, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management. • Requires Windows XP, Vista or Windows 7 and Internet Explorer 6.0 and higher. • CentreWare Integration available for Tivoli® NetView®, Unicentre TNG®, Microsoft Management Console (MMC), HP® OpenView®
Novell NDPS/NEPS	Server gateway application: centralised management tool.
Xerox® Device Manager	Xerox® Device Manager collects and manages the data that drives fact-based decisions for your enterprise device management environment. It is a single tool to install print queues and configure, manage, monitor and report on both networked and locally connected devices – regardless of vendor – across your enterprise. Xerox® Device Manager provides: <ul style="list-style-type: none"> • Device monitoring and troubleshooting • Extensive reporting and discovery of new devices • Usage collection, chargeback and billing capabilities
Xerox® Device Types for SAP Environment	Xerox, together with SAP through our Gold-level membership in the SAP Printer Vendor Programme, provides seamless connectivity between SAP systems and your Xerox® printers and MFPs. And as an SAP customer you benefit from having SAP-certified Xerox device types available right from SAP's online delivery model. SAP-certified device types for Xerox® printers and MFPs are available to download. www.office.xerox.com/software-solutions
Xerox® SAP R/3 Intelligent Barcode Utility (optional)	Provides built-in process intelligence that allows the printing of barcodes on any appropriately configured PostScript printer in specific versions of SAP environment and within Latin-1 (ISO8859-1) SAP system code pages only. Used in conjunction with Xerox® PostScript Device Types for SAP environment and Xerox® Font Centre Barcode Fonts. Information available at www.office.xerox.com/software-solutions
Xerox® Barcode Pro PS (optional)	Enables intelligent PostScript printing on Xerox® multifunction systems by storing Xerox software, as well as, the barcode fonts on the printer hard disk. Enables the printing of barcodes from any application (SAP client or mainframe) that supports PostScript printing. Information available at www.office.xerox.com/software-solutions

Xerox® CentreWare® Internet Services – Integrated Web Pages Provided by the Device	
Device Status	Web server embedded in Network Controller: <ul style="list-style-type: none"> • Tray status/contents • Consumables status • Alerts
Job Submission	Print ready files: PS, PCL, TIFF, PDF, JPG, XPS Output feature selection (2-sided, output colour, collate, orientation, output destination) Delivery options (Immediate, sample set, delay and secure, Save job or reprint)
Device Administration	Allows simple, remote installation setting of configuration options and management of the device
Browsers	Internet Explorer 7.x, 8.x, 9.x Safari 5.x Mozilla Firefox 4.x, 5.x, 6.x, 7.x, 8.x, 9.x, 10.x, 11.x Opera 11.x Chrome 12
Support	Install print / scan drivers and online support available via web page
Languages Supported	International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish or Russian
Remote Services	
Xerox® MeterAssistant®	Automates the process of collecting and submitting meter reads for tracking and billing of Xerox device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time.
Xerox® SuppliesAssistant®	Automatically orders supplies for Xerox output devices based on actual usage, eliminating the need to manually manage supplies inventory.
Xerox® MaintenanceAssistant	Offers a fast (and free) way to resolve potential issues and receive assistance and automate the troubleshooting/repair process. Diagnostic data is sent to Xerox, allowing for problems to be solved faster with increased uptime.
Accounting	
Xerox® Standard Accounting (Standard)	
Tracking	Copy, Print, Fax, Scan and Email usage, Hybrid Colour Billing
Accounting	Up to 2,497 User accounts (User ID) Up to 500 General accounts (Client) Up to 498 Group accounts (Department)
Features	<ul style="list-style-type: none"> • Administrator can manage the feature via the Web User Interface or device control panel in tools • Administrator has the ability to import or export user accounts, Group Accounts, General Accounts and User limits via an industry standard CSV file
Accounting Options – Network Accounting – Third Party Enablement	
	<ul style="list-style-type: none"> • Enhanced network accounting with up to the minute data on how the system is being used • Comprehensive management and enterprise scale tracking and reporting of device usage of copy, print, scan and server fax • Numerous solutions are available through Xerox® Business Innovation Partners. For details visit www.xerox.com • Security enhancements with the addition of HTTPS protocol support • ColorQube requests account authentication from third party server enabling larger databases of users and accounts • Accept Authentication Login at control panel and pass to third party Networking Account • Interface with third party accounting terminal for accounting user interface

Xerox® ColorQube® 8900

What Comes in the Box		
	ColorQube 8900 One of each (Cyan, Magenta, Yellow: 2,100 print capacity ⁶ ; Black: 2,250 print capacity) Xerox® Genuine Solid Ink sticks Quick Use Guide Documentation CD (with User Manual, Quick Install Guide, Print Drivers and Warranty Statement) Staple Cartridge (installed) Fax Cord and Power Cord	
Supplies and Options	Description	Order Number
Genuine Xerox® Solid Ink	6 Sticks Cyan: 16,900 pages ⁶	108R01022
	6 Sticks Magenta: 16,900 pages ⁵	108R01023
	6 Sticks Yellow: 16,900 pages ⁶	108R01024
	6 Sticks Black: 18,000 pages ⁶	108R01025
Staple Cartridges	Convenience Stapler refill cartridge	108R00823
	Finisher Stapler refill cartridge	008R12964
Routine Maintenance Items	Cleaning Unit (Standard capacity): 10,000 pages	109R00784
	Cleaning Unit (Extended capacity): 30,000 pages ⁶	109R00783
Accessories	525-sheet Tray	097S04383
	1,800-sheet High-Capacity Feeder	097S04382
	Stand with Storage Drawer	097S04388
	650-sheet Finisher	097S04324
	Foreign Device Interface	097S04408
	Smart Card Enablement Kit	498K17546
	McAfee Integrity Control Kit	320S00665
	Xerox® USB Wireless Adapter	497K11500

¹ Standard and Fast Colour speeds are available for printing in PostScript only. Copy settings are limited to High Resolution/Photo and Enhanced Mode speeds.

² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

³ Expected regular monthly throughput

⁴ Analog phone line required

⁵ Paper capacities are based on 20 lb. / 75 gsm stock; capacities will vary with different weight stocks.

⁶ Average standard pages. Declared Yield in accordance with ISO/IEC 24711. Yield will vary based on image, area coverage and print mode.

Our products allow use of papers certified by the FSC, PEFC and SFI, and those made with post consumer recycled content. For more information regarding our entire line of paper and specialty media, contact your Xerox® representative or visit us at www.xerox.com/supplies.

Return spent imaging supplies through the Xerox® Green World Alliance collection/reuse/recycling programme. For more information, visit www.xerox.com/about-xerox/recycling.

For more information, call **1-800-ASK-XEROX** or visit us at www.xerox.com/office

